





2026

PRODUCT CATALOG

www.eqconnections.com

BUILT TO BE BADASS





WWW.EQCONNECTIONS.COM

320 226 5397




BRUSH MOWER



60" 72" + 80"

- » Full-length 3/8" runners
- » 2 free-spinning blades
- » Rated for trees and saplings up to 3" in diameter
- » Standard hydraulic flow (15-25 gallons per minute)

DIRECT DRIVE MOWER



72" + 80"

- » Rated for trees up to 8" diameter
- » Massive 417 lb round flywheel
- » 4 free-spinning blades
- » Standard hydraulic flow: 20-25 GPM
- » High-flow option available: 25-40 GPM

TREE PULLER W/ PUSH BAR



- » 17" jaw opening
- » Cylinder cover
- » Remove trees up to 12" in diameter
- » 4 full-length gussets
- » Perfect for T-posts or fence posts
- » Bolt on screen option available



POST DRIVER


- » PD750 Post Driver with Skid Loader Frame
- » 8" Dome Drive Tool - Fits 7" Post Diameter
- » Post Setting/Pulling Chain



STANDARD ROCK + BRUSH GRAPPLE

62" 68" + 74"

- » 32" Grapple opening
- » 1/4" tines, 3" spacing
- » Independent grapples
- » Bolt-on removable side plates
- » Light weight for tractors to smaller skid loaders
- » All grade 50 steel



HEAVY-DUTY ROCK + BRUSH GRAPPLE

62" 68" 74" 78" + 84"


- » 39" Grapple opening
- » 3/8" tines, 3" spacing
- » Bolt-on removable side plates
- » Independent grapples
- » All grade 50 steel



COMMERCIAL ROCK + BRUSH GRAPPLE

68" 74" 78" + 84"

- » 39" Grapple opening
- » 3/8" tines, 3" spacing
- » Grapple stops
- » Visibility cutouts
- » Bolt-on removable side plates
- » Reinforced outside tines
- » All grade 50 steel



ROOT GRAPPLE

68" 76" + 83"

- » 39" Grapple opening
- » 1/2" Grade 50 tines with spacing 6,3"
- » Grapple stops
- » Visibility cutouts
- » Independent grapples
- » All grade 50 steel



HD CLAM GRAPPLE

60" 68" + 74"

- » 51" Grapple Opening
- » 1/2" Grade 50 Tines
- » 3/8 grade 50 grapple
- » Grapple Stops
- » Replaceable teeth



HD DUAL CLAM GRAPPLE

68"+74"

- » 51" Grapple Opening
- » 1/2" Grade 50 Tines
- » 3/8 grade 50 dual grapples
- » Independent Grapples
- » Grapple Stops
- » Replaceable teeth



CLAM GRAPPLE

66" 74" + 86"

- » Massive 51" opening
- » 3/4" tines with replaceable digging teeth
- » Grapple stops
- » Single grapple
- » All grade 50 steel



DUAL CLAM GRAPPLE

66" 74" + 86"

- » Massive 51" opening
- » 3/4" tines with replaceable digging teeth
- » Grapple stops
- » Independent grapples
- » All grade 50 steel

WWW.EQCONNECTIONS.COM

320 226 5397




ROCK + STUMP RIPPER

- » 1" Grade 50 tines (triple gusset design)
- » Recessed middle tine



ROCK + STUMP RIPPER GRAPPLE

- » 45" Grapple opening
- » 1" Grade 50 tines (triple gusset design)
- » 3/4" cutting edge gusset support for root extraction
- » Grapple stops



STUMP BUCKET

- » Massive 63" length for longer digs
- » Replaceable digging/excavator performance teeth
- » 2 full-length wear strips on the bottom of bucket
- » All grade 50 steel



STUMP BUCKET + GRAPPLE

- » Massive 53" grapple opening
- » Grapple stops
- » Replaceable digging/excavator performance teeth
- » 2 full-length wear strips on the bottom of bucket
- » All grade 50 steel

WWW.EQCONNECTIONS.COM

320 226 5397



SOIL CONDITIONER

72" + 84"

- » 10" rotating drum w/ welded carbide teeth
- » Bidirectional motor
- » Angles 25 degrees both directions
- » Manual option available
- » Floating quick attach plate



TILLER

72" + 84"


- » Four swing-away blades per spindle
- » Bi-directional motor / Bi-directional tine rotation
- » Standard hydraulic flow (15-25 gallons per minute)
- » Adjustable 6" tilling depth



BACKHOE

6-1/2' + 8-1/2'
w/ 12" bucket w/ 12" bucket

- » 1" Grade 50 steel gussets on pivot points
- » 6½' or 8½' Digging depth
- » 12", 18", and 24" wide bucket options with replaceable digging teeth
- » Mechanical thumb option available
- » Recessed cylinder protection



LAND LEVELER

72" 78" + 84"

- » Use for back dragging, grading or sod peeling
- » Level and grade landscape
- » Multi-directional tool with cutting edge on front + back


WWW.EQCONNECTIONS.COM

320 226 5397



CONCRETE HOPPER

- » 3/4 yard capacity
- » Pin-on extension
- » Hydraulic chute



CONCRETE CLAW

- » 7-1/2" Claw Opening
- » 3/4" Grade 50 Sides
- » Replaceable teeth
- » 3/4" Cutting Edge



TELESCOPIC BOOM


- » Operating weight: 485 lbs
- » Length fully extended: 22.73 ft
- » Rated fully extended: 350 lbs (horizontal)



PICK UP BROOM

72" + 84"

- » 1/4" Grade 50 Bucket
- » 26" Poly bristles
- » 1/2" Bolt on reversable cutting edge
- » Adjustable height for bristle longevity



WWW.EQCONNECTIONS.COM
320 226 5397



AUGER

DRIVE

- » 2" hex drive unit
- » Self-centering frame
- » Planetary drive

AUGER BITS


9"
12"
15"
18"
24"
30"



CYCLOPS SOLO GRAPPLE

48" + 54"

- » 39" Grapple opening
- » 3/8" tines, 3" spacing
- » Bolt-on removable side plates
- » Greasable pivot points
- » 1/2" serrated cutting edge
- » All grade 50 steel



FORESTRY GRAPPLE

76" + 84"

- » Massive 52 1/2" grapple opening
- » 3/4" hardened tines with 12" tine spacing
- » Independent grapples
- » All grade 50 steel



DIRT BUCKET GRAPPLE

68" 72" 78" + 84"

- » 34" grapple opening
- » 1/4" Grade 50 bucket material
- » 1/2" bolt-on reversible cutting edge
- » Bolt-on side plates
- » Independent grapples
- » Optional bolt-on cutting edge

WWW.EQCONNECTIONS.COM


320 226 5397



4-IN-1 BUCKET

72" 78" + 84"

- » 3/4" bolt-on reversible cutting edge
- » Reinforced bucket and sides
- » Optional bolt-on reversible bucket cutting edge
- » Perfect for grappling, dumping, leveling & dozing



SUPER DUTY LOW-PROFILE DIRT BUCKET

62" 68" 72" 78" + 84"

- » 22" high + 32" deep
- » 3/16" or 1/4" bucket material available
- » 3/4" fully welded on cutting edge
- » Optional bolt-on reversible cutting edge



SUPER DUTY TOOTH BUCKET

68" 72" 78" + 84"

- » 1/4" Grade 50 bucket material
- » 3/4" fully welded-on cutting edge
- » Replaceable digging teeth
- » All Grade 50 steel



ROCK BUCKET

62" 68" 74" 78" + 84"

- » 3/8" tines, 3" spacing
- » 1/2" serrated cutting edge
- » Bolt-on removable side plates
- » All grade 50 steel

WWW.EQCONNECTIONS.COM

320 226 5397



PALLET FORKS

4'x4'

4'x5'

5'x4' + 5'x5'

- » Professionally milled 1 1/4" x 3" slider bars
- » 5,500 lb rated forks
- » Walk-through carriage



PALLET FORK GRAPPLE

4'x4'

- » 58 3/4-inch Grapple Opening
- » Professionally milled 1 1/4 x 3 slide bar
- » All pivot points are greaseable
- » 5,500 lb rated



HYDRAULIC SLIDING PALLET FORKS

4'x4'

4'x5'

5'x4' + 5'x5'

- » Smooth 1 1/4" x 3" slider bar
- » Hydraulic adjustable forks
- » 5,500 lb rated forks
- » Walk-through carriage



LOG SPLITTER

Single Wedge + 4-Way

- » 5" Cylinder 30 Ton
- » 30" Stroke
- » Features 5/8" I-Beam

WWW.EQCONNECTIONS.COM

320 226 5397



HIGH CAPACITY GRAPPLE


7' + 8'

- » 73" grapple opening
- » 5/16" thick steel side plates
- » 3/4" bolt-on reversible cutting edge
- » Additional teeth available



2 PRONG BALE SPEAR

- » (2) 49" spears
- » Used for square and round bales



3 PRONG BALE SPEAR

- » (2) 17" stabilizer spears
- » (1) 49" spear
- » Specialized for round bales



4 PRONG BALE SPEAR

- » (4) 39" spears
- » Used for square and round bales

WWW.EQCONNECTIONS.COM

320 226 5397



POWER SWEEPER

6' + 7'


- » 32" stainless or poly bristles
- » Standard flow up to 15-25 gpm
- » Hydraulic angle



LOW PROFILE SNOW PRO

7' + 8'


- » Height 26" + depth 52"
- » 3/4" x 6" bolt-on reversible cutting edge
- » Internal gusset for support



SNOW PUSHER

7' 8' + 10'

- » 3/4" Grade 50 shoes
- » 1/2" adjustable + reversible steel cutting edge
- » Optional back drag



SNOW BLADE

6' 7' + 8'

- » 3/4" bolt-on reversible cutting edge
- » 30 degree angle hydraulic pivot
- » Easily adjustable skid shoe for depth control

WWW.EQCONNECTIONS.COM

320 226 5397



SNOW BUCKET

7' 8' 9' + 10'

- » 36" high and 42" deep
- » 3/4" bolt-on reversible cutting edge
- » High volume bucket capacity
- » Visibility cutouts



SNOW BLOWER

72" 78" + 84"

- » 1/2" bolt-on reversible cutting edge
- » 2-stage blower
- » All hydraulic-driven motors
- » Angled paddles
- » Adjustable shoes
- » High flow available



WWW.EQCONNECTIONS.COM

320 226 5397



QUICK ATTACH PLATE

1/4" + 5/16"

- » 1/4" or 5/16" thick plate
- » Solid or open available
- » Grade 50 steel



RECEIVER HITCH

- » 2" receiver tube, 12" long
- » Quick attach plate thickness
- » Grade 50 steel



QUICK HITCH

- » 3 positions for adequate height
- » Carrying handles for chain hookups
- » Light weight to handle with one hand
- » Small and compact to not take up room in pickup box
- » Grade 50 steel

WWW.EQCONNECTIONS.COM
320 226 5397



TO ORDER
320-226-5397



www.eqconnections.com

